# PANATTONI PARK STŘÍBRO | 216,983 sq m | • Accolade



Panattoni Park Stříbro offers almost 216.983 sq m of industrial space suitable for logistics and production activities. Located in Ostrov u Stříbra just 23 km from the border of Pilsen, regional city with 188,000 residents.

**GERMAN BORDERS** 

45 km, 24 min

**DII SEN** 24 km, 15 min **PRAGUE** 110 km, 60 min



# **LOCATION IS KEY**

### DEVELOPMENT SPACE

Panattoni Park Stříbro offers almost 216,983 sq m of industrial space suitable for logistics and production activities.

### ACCESS

Excellent and easy access to motorway D5 connecting the Czech Republic and Germany (exit 107).

#### LABOR FORCE

Qualified labor force available due to the close proximity of Pilsen city with Technical university. Historically industrial region with strong tradition mainly in mechanical engineering.


### PUBLIC TRANSPORT

Panattoni Park Stříbro is serviced by a bus transportation scheduled precisely according to the shifts of the companies located within the Park.

### OTHER PARK ADVANTAGES

Container terminal in Nýřany just 12 min away.





### **BUILDING INFORMATION**

Building 1	5,711 sq m
Building 2	17,015 sq m
Building 3	34,789 sq m
Building 4.1	9,520 sq m
Building 4.2	11,688 sq m
Building 5	25,549 sq m
Building 6	26,564 sq m
Building 7	27,406 sq m
<b>Building 8</b>	11,650 sq m
Building 9	7,200 sq m
Building 10.1	27,965 sq m
Building 10.2	26,586 sa m

# **WAREHOUSE**

Column grid 12 m × 24 m Clear height 10 m ESFR sprinkler system Light intensity in the hall 200 lux Skylights min 2% Floor loading 5 t/sq m

# **OFFICE PREMISES**

Clear height 2.7 m Light intensity 500 lux Built to suit solution

of modern, environmentally friendly construction.

aim for the BREEAM Very Good rating at least.





We meet the strictest standards

# STANDARD TECHNICAL SPECIFICATION

### 1 SUPPORTING STRUCTURE

Pad or pilot foundations, insulated plinth panels up to 30 cm above floor.

### 6 HALL INSTALLATIONS

Gas Sahara heaters or infrared gas radiators, heating according to norms for warehousing.

Fibre reinforced concrete floor, PE membrane, cut joints, 18 cm thick, surface treated with hardener.

#### 7 PRODUCTION UPGRADE (OPTIONAL)

Increased façade and roof insulation.

Corrugated steel sheets, mineral wool insulation, PVC membrane.

### 8 OFFICES

2 level custom designed in--built, incl. offices, socials, locker rooms, day room, excl. furniture and appliance.

### 4 FAÇADE

Horizontal sandwich panels with mineral wool insulation.

### 9 OUTSIDE AREAS

Hard areas from concrete pavers, sloped for drainage.

### 5 DOCKS

1x electrically operated 3 x 3.2 m dock for each 1,000 sq m of hall.



